

L Number	Hits	Search Text	DB	Time stamp
1	1422	(514/616,618,913).CCLS.	USPAT; US-PGPUB	2004/08/17 10:04
2	955	(564/152,154).CCLS.	USPAT; US-PGPUB	2004/08/17 10:05

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 09:49:05 ON 17 AUG 2004

=> file reg

COST IN U.S. DOLLARS

SINCE FILE
ENTRY

TOTAL
SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 09:49:14 ON 17 AUG 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 16 AUG 2004 HIGHEST RN 727651-15-2

DICTIONARY FILE UPDATES: 16 AUG 2004 HIGHEST RN 727651-15-2

TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>


Uploading C:\STNEXP4\822565.str

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s 11

SAMPLE SEARCH INITIATED 09:49:32 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 258 TO ITERATE

100.0% PROCESSED 258 ITERATIONS

2 ANSWERS

SEARCH TIME: 00.00.01


FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 4197 TO 6123
PROJECTED ANSWERS: 2 TO 124

L2 2 SEA SSS SAM L1

=> d 12 1-2

L2 ANSWER 1 OF 2 REGISTRY COPYRIGHT 2004 ACS on STN
RN 169500-32-7 REGISTRY
CN Benzenepropanamide, 4-chloro-N-[(1S)-2-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[2-(dimethylamino)ethyl]sulfonyl]methyl]-, (α S)- (9CI)
(CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Benzenepropanamide, 4-chloro-N-[2-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[2-(dimethylamino)ethyl]sulfonyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-
FS STEREOSEARCH
MF C34 H56 Cl N3 O6 S
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 2 OF 2 REGISTRY COPYRIGHT 2004 ACS on STN
RN 168965-15-9 REGISTRY
CN Benzenepropanamide, N-[(1S)-1-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]- α -[[[2-(diethylamino)ethyl]sulfonyl]methyl]-, (α S)- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:

CN Benzenepropanamide, N-[1-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]- α -[[[2-(diethylamino)ethyl]sulfonyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*)]-
 FS STEREOSEARCH
 MF C35 H57 N3 O6 S
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
 DT.CA CAplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> s l1 ful
 FULL SEARCH INITIATED 09:49:59 FILE 'REGISTRY'
 FULL SCREEN SEARCH COMPLETED - 5272 TO ITERATE


100.0% PROCESSED 5272 ITERATIONS 87 ANSWERS
 SEARCH TIME: 00.00.01

L3 87 SEA SSS FUL L1

=> d l3 1-87

L3 ANSWER 1 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 533916-45-9 REGISTRY
 CN Benzenepropanamide, N-[(1S)-2-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[4-(dimethylamino)butyl]sulfonyl]methyl]-, (α S)- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C36 H61 N3 O6 S
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER
 DT.CA CAplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); USES (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 2 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 533916-44-8 REGISTRY
CN Benzenepropanamide, N-[(1S)-2-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]-α-[[[3-(dimethylamino)propyl]sulfonyl]methyl]-, (αS)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C35 H59 N3 O6 S
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); USES (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 3 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN

RN 533916-38-0 REGISTRY
 CN Benzenepropanamide, N-[(1S)-2-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[2-(diethylamino)ethyl]sulfonyl]methyl]-, (α S)- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C36 H61 N3 O6 S
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER
 DT.CA CAplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); USES (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 4 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 533916-37-9 REGISTRY
 CN Benzenepropanamide, N-[(1S)-2-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[2-(dimethylamino)ethyl]thio]methyl]-, (α S)- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C34 H57 N3 O4 S
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER
 DT.CA CAplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); USES (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 5 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 169735-81-3 REGISTRY
CN Benzenepropanamide, N-[(1S)-2-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[2-(dimethylamino)ethyl]sulfonyl]methyl]-, (α S)- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Benzenepropanamide, N-[2-[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[2-(dimethylamino)ethyl]sulfonyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-
FS STEREOSEARCH
MF C34 H57 N3 O6 S
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 6 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 169500-48-5 REGISTRY
CN Benzenepropanamide, N-[2-[[1-(cyclohexylmethyl)-2,3-dihydroxy-4-hexenyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[2-(dimethylamino)ethyl]sulfonyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]- (9CI)
(CA INDEX NAME)
FS STEREOSEARCH
MF C33 H53 N3 O6 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)


Absolute stereochemistry.
Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 7 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 169500-47-4 REGISTRY
CN L-Arabinitol, 1-cyclohexyl-5-cyclopropyl-2-[[2-(2S)-3-cyclopropyl-2-[[2-(2S)-2-[[2-(dimethylamino)ethyl]thio]methyl]-1-oxo-3-phenylpropyl]amino]-1-oxopropyl]amino]-1,2,5-trideoxy- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN L-Arabinitol, 1-cyclohexyl-5-cyclopropyl-2-[[3-cyclopropyl-2-[[2-[[2-(dimethylamino)ethyl]thio]methyl]-1-oxo-3-phenylpropyl]amino]-1-oxopropyl]amino]-1,2,5-trideoxy-, [S-(R*,R*)]-
FS STEREOSEARCH
MF C34 H55 N3 O4 S
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)

2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 8 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN

RN 169500-46-3 REGISTRY

CN Benzenepropanamide, N-[(1S)-2-[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-hexenyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]-α-[[2-(dimethylamino)ethyl]sulfinyl]methyl]-, (αS)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Benzenepropanamide, N-[2-[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-hexenyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[2-(dimethylamino)ethyl]sulfinyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*)]-

FS STEREOSEARCH

MF C33 H53 N3 O5 S


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)

2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 9 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN

RN 169500-45-2 REGISTRY

CN Benzenepropanamide, N-[(1S)-2-[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-4-pentenyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]-α-[[2-(dimethylamino)ethyl]thio]methyl]-, (αS)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Benzenepropanamide, N-[2-[[1-(cyclohexylmethyl)-2,3-dihydroxy-4-pentenyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[2-(dimethylamino)ethyl]thio]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*)]-

FS STEREOSEARCH

MF C32 H51 N3 O4 S


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)

2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 10 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN

RN 169500-44-1 REGISTRY

CN 1-Naphthalenepropanamide, N-[(1S)-2-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[2-(dimethylamino)ethyl]thio]methyl]-, (α S)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 1-Naphthalenepropanamide, N-[2-[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[2-(dimethylamino)ethyl]thio]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-


FS STEREOSEARCH

MF C38 H59 N3 O4 S

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
 DT.CA CAplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES
 (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 11 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 169500-43-0 REGISTRY
 CN 2-Naphthalenepropanamide, N-[(1S)-2-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]-α-[[[2-(dimethylamino)ethyl]sulfinyl]methyl]-, (αS)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 2-Naphthalenepropanamide, N-[2-[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]-α-[[[2-(dimethylamino)ethyl]sulfinyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-

FS STEREOSEARCH

MF C38 H59 N3 O5 S


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES
 (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 12 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 169500-42-9 REGISTRY
CN Benzenepropanamide, 4-chloro-N-[(1S)-2-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[2-(dimethylamino)ethyl]sulfinyl]methyl]-, (α S)- (9CI)
(CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Benzenepropanamide, 4-chloro-N-[2-[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[2-(dimethylamino)ethyl]sulfinyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-
FS STEREOSEARCH
MF C34 H56 Cl N3 O5 S
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 13 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 169500-41-8 REGISTRY
CN Benzenepropanamide, 3-chloro-N-[(1S)-2-[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[2-(dimethylamino)ethyl]thio]methyl]-, (α S)- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Benzenepropanamide, 3-chloro-N-[2-[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[2-(dimethylamino)ethyl]thio]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-
FS STEREOSEARCH
MF C34 H56 Cl N3 O4 S
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA CAplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 14 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 169500-40-7 REGISTRY
CN Benzenepropanamide, α -[[[2-[bis(1-methylethyl)amino]ethyl]thio]methyl]-N-[(1S)-2-[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]-, (α S)- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Benzenepropanamide, α -[[[2-[bis(1-methylethyl)amino]ethyl]thio]methyl]-N-[2-[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-
FS STEREOSEARCH
MF C38 H65 N3 O4 S

SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 15 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 169500-39-4 REGISTRY
 CN Benzenepropanamide, N-[(1S)-2-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[3-(dimethylamino)propyl]sulfinyl]methyl]-, (α S)- (9CI) (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN Benzenepropanamide, N-[2-[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[3-(dimethylamino)propyl]sulfinyl]methyl]-, [1S-[1R*[R*(α R*)],2S*,3R*]]-
 FS STEREOSEARCH
 MF C35 H59 N3 O5 S
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)

2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 16 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN

RN 169500-38-3 REGISTRY

CN Benzenepropanamide, N-[(1S)-2-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]-α-[[[2-(diethylamino)ethyl]sulfinyl]methyl]-, (αS)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Benzenepropanamide, N-[2-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]-α-[[[2-(diethylamino)ethyl]sulfinyl]methyl]-, [1S-[1R*[R*(αR*)],2S*,3R*]]-

FS STEREOSEARCH

MF C36 H61 N3 O5 S


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 17 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 169500-37-2 REGISTRY
CN L-Arabinitol, 1-cyclohexyl-5-cyclopropyl-2-[[[(2S)-3-cyclopropyl-2-[[[(2S)-2-[[[2-(dimethylamino)ethyl]sulfonyl]methyl]-1-oxo-3-phenylpropyl]amino]-1-oxopropyl]amino]-1,2,5-trideoxy- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Benzenepropanamide, N-[2-[[[1-(cyclohexylmethyl)-4-cyclopropyl-2,3-dihydroxybutyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[2-(dimethylamino)ethyl]sulfonyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-
FS STEREOSEARCH
MF C34 H55 N3 O6 S
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA CAplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 18 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 169500-36-1 REGISTRY
CN Benzenepropanamide, N-[1S-2-[[[1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-hexenyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[2-(dimethylamino)ethyl]sulfonyl]methyl]-, (α S)- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Benzenepropanamide, N-[2-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-hexenyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[2-(dimethylamino)ethyl]sulfonyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-
FS STEREOSEARCH
MF C33 H53 N3 O6 S
SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
 DT.CA CAplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES
 (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 19 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 169500-35-0 REGISTRY
 CN Benzenepropanamide, N-[2-[[1-(cyclohexylmethyl)-2,3-dihydroxy-4-pentenyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]-α-[[[2-(dimethylamino)ethyl]sulfonyl]methyl]-, (αS)- (9CI) (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN Benzenepropanamide, N-[2-[[1-(cyclohexylmethyl)-2,3-dihydroxy-4-pentenyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]-α-[[[2-(dimethylamino)ethyl]sulfonyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-
 FS STEREOSEARCH
 MF C32 H51 N3 O6 S
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
 DT.CA CAplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES
 (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)

2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 20 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN

RN 169500-34-9 REGISTRY

CN 1-Naphthalenepropanamide, N-[(1S)-2-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]-α-[[[2-(dimethylamino)ethyl]sulfonyl]methyl]-, (αS)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 1-Naphthalenepropanamide, N-[2-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]-α-[[[2-(dimethylamino)ethyl]sulfonyl]methyl]-, [1S-[1R*(R*),2S*,3R*]]-

FS STEREOSEARCH

MF C38 H59 N3 O6 S


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)

2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 21 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN

RN 169500-33-8 REGISTRY

CN 2-Naphthalenepropanamide, N-[(1S)-2-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[2-(dimethylamino)ethyl]sulfonylmethyl]-, (α S)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 2-Naphthalenepropanamide, N-[2-[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[2-(dimethylamino)ethyl]sulfonylmethyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-

FS STEREOSEARCH

MF C38 H59 N3 O6 S


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)

2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 22 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN

RN 169500-32-7 REGISTRY

CN Benzenepropanamide, 4-chloro-N-[(1S)-2-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[2-(dimethylamino)ethyl]sulfonylmethyl]-, (α S)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Benzenepropanamide, 4-chloro-N-[2-[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-

methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[2-(dimethylamino)ethyl]sulfonyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-

FS STEREOSEARCH

MF C34 H56 Cl N3 O6 S


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)

2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 23 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN

RN 169500-31-6 REGISTRY

CN Benzenepropanamide, 3-chloro-N-[(1S)-2-[[[1S,2R,3S]-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[2-(dimethylamino)ethyl]sulfonyl]methyl]-, (α S)- (9CI)
(CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Benzenepropanamide, 3-chloro-N-[2-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[2-(dimethylamino)ethyl]sulfonyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-

FS STEREOSEARCH

MF C34 H56 Cl N3 O6 S


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 24 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 169500-30-5 REGISTRY
CN Cyclohexanepropanamide, N-[(1S)-2-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]-α-[[[2-(dimethylamino)ethyl]sulfonyl]methyl]-, (αS)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Cyclohexanepropanamide, N-[2-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]-α-[[[2-(dimethylamino)ethyl]sulfonyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-

FS STEREOSEARCH

MF C34 H63 N3 O6 S


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 25 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 169500-29-2 REGISTRY
CN Benzenepropanamide, α -[[[2-[bis(1-methylethyl)amino]ethyl]sulfonyl]methyl]-N-[(1S)-2-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]-, (α S)- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Benzenepropanamide, α -[[[2-[bis(1-methylethyl)amino]ethyl]sulfonyl]methyl]-N-[2-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]]-
FS STEREOSEARCH
MF C38 H65 N3 O6 S
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 26 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 169500-28-1 REGISTRY
CN Benzenepropanamide, N-[(1S)-2-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[2-(ethylmethylamino)ethyl]sulfonyl]methyl]-, (α S)- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Benzenepropanamide, N-[2-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]- α -[[[2-(ethylmethylamino)ethyl]sulfonyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]]-
FS STEREOSEARCH
MF C35 H59 N3 O6 S


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)

2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 27 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN

RN 169500-27-0 REGISTRY

CN Benzenepropanamide, N-[2-[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]-α-[[[2-(diethylamino)ethyl]sulfonyl]methyl]- (9CI) (CA INDEX NAME)

FS 3D CONCORD


MF C36 H61 N3 O6 S

SR CA

LC STN Files: CA, CAPLUS, USPATFULL

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L3 ANSWER 28 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 169500-26-9 REGISTRY
 CN Benzenepropanamide, N-[2-[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]-α-[[[2-(dimethylamino)ethyl]thio]methyl]- (9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C34 H57 N3 O4 S
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 29 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 169500-25-8 REGISTRY
 CN Benzenepropanamide, N-[2-[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]-1-(cyclopropylmethyl)-2-oxoethyl]-α-[[[2-(dimethylamino)ethyl]sulfonyl]methyl]- (9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C34 H57 N3 O6 S
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 30 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 168965-26-2 REGISTRY
CN Benzenepropanamide, N-[(1S)-1-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]-α-[[[2-[methyl(2,2,2-trifluoroethyl)amino]ethyl]sulfinyl]methyl]-, (αS)-(9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Benzenepropanamide, N-[1-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]-α-[[[2-[methyl(2,2,2-trifluoroethyl)amino]ethyl]sulfinyl]methyl]-, [1S-[1R*[R*(αR*)],2S*,3R*]]-
FS STEREOSEARCH
MF C34 H52 F3 N3 O5 S
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 31 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 168965-25-1 REGISTRY
CN Benzenepropanamide, N-[(1S)-1-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]-α-[[[2-(diethylamino)ethyl]sulfinyl]methyl]-, (αS)-(9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Benzenepropanamide, N-[1-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]-α-[[[2-(diethylamino)ethyl]sulfinyl]methyl]-, [1S-[1R*[R*(αR*)],2S*,3R*]]-
FS STEREOSEARCH
MF C35 H57 N3 O5 S
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA CAplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 32 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN

RN 168965-24-0 REGISTRY

CN Benzenepropanamide, N-[1-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]- α -[[[2-methyl(phenylmethyl)amino]ethyl]sulfonyl]methyl]-, (α S)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Benzenepropanamide, N-[1-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]- α -[[[2-methyl(phenylmethyl)amino]ethyl]sulfonyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-

FS STEREOSEARCH

MF C39 H57 N3 O6 S


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)

2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 33 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN

RN 168965-23-9 REGISTRY

CN Benzenepropanamide, N-[(1S)-1-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]-α-[[[2-[ethyl(phenylmethyl)amino]ethyl]sulfonyl]methyl]-, (αS)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Benzenepropanamide, N-[1-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]-α-[[[2-[ethyl(phenylmethyl)amino]ethyl]sulfonyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-

FS STEREOSEARCH

MF C40 H59 N3 O6 S


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 34 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN

RN 168965-22-8 REGISTRY

CN Benzenepropanamide, α -[[[2-[bis(1-methylethyl)amino]ethyl]sulfonyl]methyl]-N-[(1S)-1-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]-, (α S)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Benzenepropanamide, α -[[[2-[bis(1-methylethyl)amino]ethyl]sulfonyl]methyl]-N-[1-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-

FS STEREOSEARCH

MF C37 H61 N3 O6 S


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 35 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN

RN 168965-21-7 REGISTRY

CN Benzenepropanamide, N-[(1S)-1-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-4-pentynyl]- α -[[[2-[methyl(2,2,2-trifluoroethyl)amino]ethyl]sulfonyl]methyl]-, (α S)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Benzenepropanamide, N-[1-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-4-pentynyl]- α -[[[2-[methyl(2,2,2-trifluoroethyl)amino]ethyl]sulfonyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-


FS STEREOSEARCH

MF C35 H54 F3 N3 O6 S

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
 DT.CA CAplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES
 (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 36 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN

RN 168965-20-6 REGISTRY

CN Benzenepropanamide, N-[(1S)-1-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]-α-[[[2-[methyl(1-methylethyl)amino]ethyl]sulfonyl]methyl]-, (αS)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Benzenepropanamide, N-[1-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]-α-[[[2-[methyl(1-methylethyl)amino]ethyl]sulfonyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-

FS STEREOSEARCH

MF C35 H57 N3 O6 S


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES
 (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)

2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 37 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN

RN 168965-19-3 REGISTRY

CN Benzenepropanamide, N-[(1S)-1-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-4-pentynyl]-α-[[[2-(dimethylamino)ethyl]sulfonyl]methyl]-, (αS)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Benzenepropanamide, N-[1-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-4-pentynyl]-α-[[[2-(dimethylamino)ethyl]sulfonyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-

FS STEREOSEARCH

MF C34 H55 N3 O6 S


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 38 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 168965-18-2 REGISTRY
CN Benzenepropanamide, N-[(1S)-1-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]- α -[[[2-[methyl(phenylmethyl)amino]ethyl]sulfinyl]methyl]-, (α S)- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Benzenepropanamide, N-[1-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]- α -[[[2-[methyl(phenylmethyl)amino]ethyl]sulfinyl]methyl]-, [1S-[1R*[R*(α R*)],2S*,3R*]]-
FS STEREOSEARCH
MF C39 H57 N3 O5 S
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 39 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 168965-17-1 REGISTRY
CN Benzenepropanamide, N-[(1S)-1-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]- α -[[[2-[methyl(1-methylethyl)amino]ethyl]sulfinyl]methyl]-, (α S)- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Benzenepropanamide, N-[1-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]- α -[[[2-[methyl(1-methylethyl)amino]ethyl]sulfinyl]methyl]-, [1S-[1R*[R*(α R*)],2S*,3R*]]-
FS STEREOSEARCH
MF C35 H57 N3 O5 S
SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES
 (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 40 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 168965-16-0 REGISTRY
 CN Benzenepropanamide, N-[(1S)-1-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]-α-[[[2-[methyl(2,2,2-trifluoroethyl)amino]ethyl]sulfonyl]methyl]-, (αS)-(9CI) (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN Benzenepropanamide, N-[1-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]-α-[[[2-[methyl(2,2,2-trifluoroethyl)amino]ethyl]sulfonyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-
 FS STEREOSEARCH
 MF C34 H52 F3 N3 O6 S
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES
 (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 41 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 168965-15-9 REGISTRY
CN Benzenepropanamide, N-[(1S)-1-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]-α-[[[2-(diethylamino)ethyl]sulfonyl]methyl]-, (αS)- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Benzenepropanamide, N-[1-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]-α-[[[2-(diethylamino)ethyl]sulfonyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-
FS STEREOSEARCH
MF C35 H57 N3 O6 S
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA CAplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 42 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 168965-11-5 REGISTRY
CN Benzenepropanamide, N-[(1S)-1-[[[(1S,2R,3S)-1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]- α -[[[2-(dimethylamino)ethyl]sulfonyl]methyl]-, (α S)- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Benzenepropanamide, N-[1-[[[1-(cyclohexylmethyl)-2,3-dihydroxy-5-methylhexyl]amino]carbonyl]-3-butynyl]- α -[[[2-(dimethylamino)ethyl]sulfonyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]-
FS STEREOSEARCH
MF C33 H53 N3 O6 S
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 43 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149403-93-0 REGISTRY
CN 1H-Imidazole-4-propanamide, N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]- α -[[2-[[[1,1-dimethyl-2-oxo-2-[[1-(1-phenylmethyl)-4-piperidinyl]amino]ethyl]sulfonyl]methyl]-1-oxo-3-phenylpropyl]amino]-, [1S-[1R*[R*(S*)],2S*,3R*]]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C45 H64 N6 O7 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 44 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149343-35-1 REGISTRY
CN 4-Thiazolepropanamide, N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]- α -[[2-[[[1,1-dimethyl-2-[methyl[2-(2-pyridinyl)ethyl]amino]-2-oxoethyl]sulfonyl]methyl]-1-oxo-3-phenylpropyl]amino]-, [1S-[1R*[S*(R*)],2S*,3R*]]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C41 H57 N5 O7 S2
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 45 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149343-28-2 REGISTRY
CN 5-Thia-2,9,12-triazapentadecanoic acid, 13-(cyclohexylmethyl)-15-cyclopropyl-14,15-dihydroxy-10-(1H-imidazol-4-ylmethyl)-4,4-dimethyl-8,11-dioxo-7-(phenylmethyl)-, 1,1-dimethylethyl ester, 5,5-dioxide, [7R-(7R*,10S*,13S*,14R*,15S*)]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C38 H59 N5 O8 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA CAplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 46 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149343-27-1 REGISTRY
CN 5-Thia-2,9,12-triazapentadecanoic acid, 13-(cyclohexylmethyl)-15-cyclopropyl-14,15-dihydroxy-10-(1H-imidazol-4-ylmethyl)-4,4-dimethyl-8,11-dioxo-7-(phenylmethyl)-, 1-methylethyl ester, 5,5-dioxide, [7R-(7R*,10S*,13S*,14R*,15S*)]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C37 H57 N5 O8 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA CAplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 47 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN

RN 149343-15-7 REGISTRY

CN 1H-Imidazole-4-propanamide, α -[[2-[[[2-amino-3-(4-morpholinyl)-3-oxopropyl]sulfonyl]methyl]-1-oxo-3-phenylpropyl]amino]-N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]-, [1S-[1R*[R*[S*(R*)]],2S*,3R*]]- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C36 H54 N6 O8 S


SR CA

LC STN Files: CA, CAPLUS, USPATFULL

DT.CA CAPLUS document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 48 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149343-14-6 REGISTRY
CN 1H-Imidazole-4-propanamide, α -[[2-[[[2-amino-3-(4-morpholinyl)-3-oxopropyl]sulfonyl]methyl]-1-oxo-3-phenylpropyl]amino]-N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]-, [1S-[1R*[R*[R*(R*)]],2S*,3R*]]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C36 H54 N6 O8 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 49 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149343-13-5 REGISTRY
CN 1H-Imidazole-4-propanamide, α -[[2-[[[2-amino-3-(4-morpholinyl)-3-oxopropyl]sulfonyl]methyl]-1-oxo-3-phenylpropyl]amino]-N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]-, [1S-[1R*[R*[S*(S*)]],2S*,3R*]]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C36 H54 N6 O8 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 50 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149343-12-4 REGISTRY
CN 5-Thia-2,9,12-triazapentadecanoic acid, 13-(cyclohexylmethyl)-15-cyclopropyl-14,15-dihydroxy-10-(1H-imidazol-4-ylmethyl)-3-(methoxycarbonyl)-4,4-dimethyl-8,11-dioxo-7-(phenylmethyl)-, phenylmethyl ester, 5,5-dioxide, [3S-(3R*,7R*,10R*,13R*,14S*,15R*)]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C43 H59 N5 O10 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)


Absolute stereochemistry.



1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 51 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149343-11-3 REGISTRY
CN 5-Thia-2,9,12-triazapentadecanoic acid, 13-(cyclohexylmethyl)-15-cyclopropyl-14,15-dihydroxy-10-(1H-imidazol-4-ylmethyl)-3-(methoxycarbonyl)-4,4-dimethyl-8,11-dioxo-7-(phenylmethyl)-, phenylmethyl ester, 5,5-dioxide, [3S-(3R*,7S*,10R*,13R*,14S*,15R*)]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C43 H59 N5 O10 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA CAplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)


Absolute stereochemistry.



1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 52 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149343-10-2 REGISTRY
CN 5-Thia-2,9,12-triazapentadecanoic acid, 13-(cyclohexylmethyl)-15-cyclopropyl-14,15-dihydroxy-10-(1H-imidazol-4-ylmethyl)-3-(methoxycarbonyl)-4,4-dimethyl-8,11-dioxo-7-(phenylmethyl)-, phenylmethyl ester, 5,5-dioxide, [3R-(3R*,7S*,10S*,13S*,14R*,15S*)]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C43 H59 N5 O10 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA CAplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)


Absolute stereochemistry.



1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 53 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149343-09-9 REGISTRY
CN 5-Thia-2,9,12-triazapentadecanoic acid, 13-(cyclohexylmethyl)-15-cyclopropyl-14,15-dihydroxy-10-(1H-imidazol-4-ylmethyl)-3-(methoxycarbonyl)-4,4-dimethyl-8,11-dioxo-7-(phenylmethyl)-, 1,1-dimethylethyl ester, 5,5-dioxide, [3S-(3R*,7R*,10R*,13R*,14S*,15R*)]-(9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C40 H61 N5 O10 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 54 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149343-08-8 REGISTRY

CN 5-Thia-2,9,12-triazapentadecanoic acid, 13-(cyclohexylmethyl)-15-cyclopropyl-14,15-dihydroxy-10-(1H-imidazol-4-ylmethyl)-3-(methoxycarbonyl)-4,4-dimethyl-8,11-dioxo-7-(phenylmethyl)-, 1,1-dimethylethyl ester, 5,5-dioxide, [3S-(3R*,7S*,10R*,13R*,14S*,15R*)]-(9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C40 H61 N5 O10 S


SR CA

LC STN Files: CA, CAPLUS, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 55 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN.

RN 149343-07-7 REGISTRY

CN 5-Thia-2,9,12-triazapentadecanoic acid, 13-(cyclohexylmethyl)-15-cyclopropyl-14,15-dihydroxy-10-(1H-imidazol-4-ylmethyl)-3-(methoxycarbonyl)-4,4-dimethyl-8,11-dioxo-7-(phenylmethyl)-, 1,1-dimethylethyl ester, 5,5-dioxide, [3R-(3R*,7S*,10S*,13S*,14R*,15S*)]-(9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C40 H61 N5 O10 S


SR CA

LC STN Files: CA, CAPLUS, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)


Absolute stereochemistry.



1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 56 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149343-04-4 REGISTRY
CN 5-Thia-2,9,12-triazapentadecanoic acid, 13-(cyclohexylmethyl)-15-cyclopropyl-14,15-dihydroxy-10-(1H-imidazol-4-ylmethyl)-4-(4-morpholinylcarbonyl)-8,11-dioxo-7-(phenylmethyl)-, 1,1-dimethylethyl ester, 5,5-dioxide, [4R-(4R*,7R*,10S*,13S*,14R*,15S*)]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C41 H62 N6 O10 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 57 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 149343-03-3 REGISTRY
 CN 1H-Imidazole-4-propanamide, α -[[2-[[[2-bis(2-methoxyethyl)amino]-1,1-dimethyl-2-oxoethyl]sulfonyl]methyl]-1-oxo-3-phenylpropyl]amino]-N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]-, [1S-[1R*[R*(S*)],2S*,3R*]]- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C39 H61 N5 O9 S
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 58 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 149343-02-2 REGISTRY
 CN 6-Thia-3,10,13-triazahehexadecanoic acid, 14-(cyclohexylmethyl)-16-cyclopropyl-15,16-dihydroxy-11-(1H-imidazol-4-ylmethyl)-2,2,5,5-tetramethyl-4,9,12-trioxo-8-(phenylmethyl)-, methyl ester, 6,6-dioxide, [8S-(8R*,11R*,14R*,15S*,16R*)]- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C38 H57 N5 O9 S
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 59 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN

RN 149343-01-1 REGISTRY

CN 1H-Imidazole-4-propanamide, N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]-α-[[2-[[[1,1-dimethyl-2-oxo-2-[(2-pyridinylmethyl)amino]ethyl]sulfonyl]methyl]-1-oxo-3-phenylpropyl]amino]-, [1S-[1R*[R*(R*)],2S*,3R*]]- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C39 H54 N6 O7 S


SR CA

LC STN Files: CA, CAPLUS, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 60 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149342-97-2 REGISTRY
CN 6-Thia-3,10,13-triazahexadecane-1-sulfonic acid, 14-(cyclohexylmethyl)-16-cyclopropyl-15,16-dihydroxy-11-(1H-imidazol-4-ylmethyl)-5,5-dimethyl-4,9,12-trioxo-8-(phenylmethyl)-, 6,6-dioxide, [8S-(8R*,11R*,14R*,15S*,16R*)]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C35 H53 N5 O10 S2
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 61 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149342-96-1 REGISTRY
CN 1H-Imidazole-4-propanamide, N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]- α -[[2-[[[2-(cyclopropylamino)-1,1-dimethyl-2-oxoethyl]sulfonyl]methyl]-1-oxo-3-phenylpropyl]amino]-, [1S-[1R*[R*(R*)],2S*,3R*)]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C36 H53 N5 O7 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 62 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149342-94-9 REGISTRY
CN 1H-Imidazole-4-propanamide, α -[[2-[[[(2-amino-1,1-dimethyl-2-oxoethyl)sulfonyl]methyl]-1-oxo-3-phenylpropyl]amino]-N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C33 H49 N5 O7 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 63 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149296-86-6 REGISTRY
CN 1H-Imidazole-4-propanamide, N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]- α -[[2-[[[1,1-dimethyl-2-oxo-2-[[1-(1-phenylmethyl)-4-piperidinyl]amino]ethyl]sulfonyl]methyl]-1-oxo-3-phenylpropyl]amino]-, [1S-[1R*[R*(R*)],2S*,3R*]]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C45 H64 N6 O7 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 64 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149268-79-1 REGISTRY
CN 4-Thiazolepropanamide, N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]- α -[[2-[[[1,1-dimethyl-2-[methyl[2-(2-pyridinyl)ethyl]amino]-2-oxoethyl]sulfonyl]methyl]-1-oxo-3-phenylpropyl]amino]-, [1S-[1R*[R*(R*)],2S*,3R*]]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C41 H57 N5 O7 S2
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 65 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149268-78-0 REGISTRY
CN 3-Oxa-7-thia-4,11-diazatridecan-13-amide, N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]-1-hydroxy-12-(1H-imidazol-4-ylmethyl)-6,6-dimethyl-5,10-dioxo-9-(phenylmethyl)-, 7,7-dioxide, [1S-[1R*(9R*,12R*),2S*,3R*]]- (9CI) (CA INDEX NAME)
MF C35 H53 N5 O9 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 66 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 149268-72-4 REGISTRY
 CN Benzenepropanamide, N-[1-[[[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]amino]carbonyl]pentyl]- α -[[[1,1-dimethyl-2-[methyl[2-(2-pyridinyl)ethyl]amino]-2-oxoethyl]sulfonyl]methyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C41 H62 N4 O7 S
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 67 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 149268-71-3 REGISTRY
 CN 1H-Imidazole-4-propanamide, N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]- α -[[2-[[[1,1-dimethyl-2-[methyl[2-(2-pyridinyl)ethyl]amino]-2-oxoethyl]sulfonyl]methyl]-1-oxo-3-phenylpropyl]amino]-, [1S-[1R*[R*(R*)],2S*,3R*]]- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C41 H58 N6 O7 S
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 68 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 149268-59-7 REGISTRY
 CN 5-Thia-2,9,12-triazapentadecanoic acid, 13-(cyclohexylmethyl)-15-cyclopropyl-14,15-dihydroxy-10-(1H-imidazol-4-ylmethyl)-4,4-dimethyl-8,11-dioxo-7-(phenylmethyl)-, 1-methylethyl ester, 5,5-dioxide, [7S-(7R*,10R*,13R*,14S*,15R*)]- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C37 H57 N5 O8 S
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 69 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 149268-42-8 REGISTRY
 CN D-Glucose, 2-[[2-[[3-[[2-[[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]amino]-1-(1H-imidazol-4-ylmethyl)-2-oxoethyl]amino]-3-oxo-2-(phenylmethyl)propyl]sulfonyl]-2-methyl-1-oxopropyl]amino]-2-deoxy-, [1S-[1R*[R*(R*)],2S*,3R*]]- (9CI) (CA INDEX NAME)
 MF C39 H59 N5 O12 S
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA CAplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 70 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 149268-41-7 REGISTRY
 CN 1H-Imidazole-4-propanamide, N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]-α-[[2-[[[2-[[2-hydroxy-1-(hydroxymethyl)-1-methylethyl]amino]-1,1-dimethyl-2-oxoethyl]sulfonyl]methyl]-1-oxo-3-phenylpropyl]amino]-, [1S-[1R*[R*(R*)],2S*,3R*]]- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C37 H57 N5 O9 S
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA CAplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 71 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 149268-40-6 REGISTRY
 CN 1H-Imidazole-4-propanamide, N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]-α-[[2-[[[2-[(2-hydroxyethyl)amino]-1,1-dimethyl-2-oxoethyl]sulfonyl]methyl]-1-oxo-3-phenylpropyl]amino]-, [1S-[1R*[R*(R*)],2S*,3R*)]- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C35 H53 N5 O8 S
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 72 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149268-39-3 REGISTRY
CN 1H-Imidazole-4-propanamide, α -[[2-[[[2-amino-3-(4-morpholinyl)-3-oxopropyl]sulfonyl]methyl]-1-oxo-3-phenylpropyl]amino]-N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]-, [1S-[1R*[R*[R*(S*)]],2S*,3R*]]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C36 H54 N6 O8 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 73 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149268-38-2 REGISTRY
CN 5-Thia-2,9,12-triazapentadecanoic acid, 13-(cyclohexylmethyl)-15-cyclopropyl-14,15-dihydroxy-10-(1H-imidazol-4-ylmethyl)-3-(methoxycarbonyl)-4,4-dimethyl-8,11-dioxo-7-(phenylmethyl)-, phenylmethyl ester, 5,5-dioxide, [3R-(3R*,7R*,10S*,13S*,14R*,15S*)]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C43 H59 N5 O10 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)


Absolute stereochemistry.



1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 74 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149268-37-1 REGISTRY
CN 5-Thia-2,9,12-triazapentadecanoic acid, 13-(cyclohexylmethyl)-15-cyclopropyl-14,15-dihydroxy-10-(1H-imidazol-4-ylmethyl)-3-(methoxycarbonyl)-4,4-dimethyl-8,11-dioxo-7-(phenylmethyl)-, 1,1-dimethylethyl ester, 5,5-dioxide, [3R-(3R*,7R*,10S*,13S*,14R*,15S*)]-(9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C40 H61 N5 O10 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)


Absolute stereochemistry.



1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 75 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 149268-34-8 REGISTRY
 CN 5-Thia-2,9,12-triazapentadecanoic acid, 13-(cyclohexylmethyl)-15-cyclopropyl-14,15-dihydroxy-10-(1H-imidazol-4-ylmethyl)-4-(4-morpholinylcarbonyl)-8,11-dioxo-7-(phenylmethyl)-, 1,1-dimethylethyl ester, 5,5-dioxide, [4R-(4R*,7S*,10S*,13S*,14R*,15S*)]- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C41 H62 N6 O10 S
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 76 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 149268-31-5 REGISTRY
 CN 1H-Imidazole-4-propanamide, α -[[2-[[[2-bis(2-methoxyethyl)amino]-1,1-dimethyl-2-oxoethyl]sulfonyl]methyl]-1-oxo-3-phenylpropyl]amino]-N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]-, [1S-[1R*[R*(R*)],2S*,3R*)]- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C39 H61 N5 O9 S
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 77 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149268-30-4 REGISTRY
CN 6-Thia-3,10,13-triazahexadecanoic acid, 14-(cyclohexylmethyl)-16-cyclopropyl-15,16-dihydroxy-11-(1H-imidazol-4-ylmethyl)-2,2,5,5-tetramethyl-4,9,12-trioxo-8-(phenylmethyl)-, methyl ester, 6,6-dioxide, [8R-(8R*,11S*,14S*,15R*,16S*)]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C38 H57 N5 O9 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 78 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149268-29-1 REGISTRY
CN 1H-Imidazole-4-propanamide, N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]- α -[[2-[[[1,1-dimethyl-2-oxo-2-[(2-pyridinylmethyl)amino]ethyl]sulfonyl]methyl]-1-oxo-3-phenylpropyl]amino]-, [1S-[1R*[R*(S*)],2S*,3R*]]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C39 H54 N6 O7 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 79 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149268-23-5 REGISTRY
CN 6-Thia-3,10,13-triazahexadecane-1-sulfonic acid, 14-(cyclohexylmethyl)-16-cyclopropyl-15,16-dihydroxy-11-(1H-imidazol-4-ylmethyl)-5,5-dimethyl-4,9,12-trioxo-8-(phenylmethyl)-, 6,6-dioxide, [8R-(8R*,11S*,14S*,15R*,16S*)]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C35 H53 N5 O10 S2
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 80 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149268-22-4 REGISTRY
CN 1H-Imidazole-4-propanamide, N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]-α-[[2-[[[2-(cyclopropylamino)-1,1-dimethyl-2-oxoethyl]sulfonyl]methyl]-1-oxo-3-phenylpropyl]amino]-, [1S-[1R*[R*(S*)],2S*,3R*]]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C36 H53 N5 O7 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 81 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 149268-21-3 REGISTRY
CN 1H-Imidazole-4-propanamide, α -[[2-[[[2-amino-1,1-dimethyl-2-oxoethyl)sulfonyl)methyl]-1-oxo-3-phenylpropyl]amino]-N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]-, [1S-[1R*[R*(S*)],2S*,3R*]]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C33 H49 N5 O7 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 82 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 134453-84-2 REGISTRY
CN 1H-Imidazole-4-propanamide, α -[[2-[[[2-amino-1,1-dimethylethyl)sulfonyl)methyl]-1-oxo-3-phenylpropyl]amino]-N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]-, [1S-[1R*[R*(R*)],2S*,3R*]]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C33 H51 N5 O6 S
CI COM
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 83 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 134362-47-3 REGISTRY
CN 1H-Imidazole-4-propanamide, α -[[2-[[[(2-amino-1,1-dimethylethyl)sulfonyl]methyl]-1-oxo-3-phenylpropyl]amino]-N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]-, dihydrochloride, [1S-[1R*[R*(R*)],2S*,3R*]]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C33 H51 N5 O6 S . 2 Cl H
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation)
CRN (134453-84-2)

Absolute stereochemistry.




● 2 HCl

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 84 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 134362-46-2 REGISTRY
CN 5-Thia-2,9,12-triazapentadecanoic acid, 13-(cyclohexylmethyl)-15-cyclopropyl-14,15-dihydroxy-10-(1H-imidazol-4-ylmethyl)-4,4-dimethyl-8,11-dioxo-7-(phenylmethyl)-, 1,1-dimethylethyl ester, 5,5-dioxide, [7S-(7R*,10R*,13R*,14S*,15R*)]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C38 H59 N5 O8 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 85 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 134362-12-2 REGISTRY
CN 5-Thia-2,9,12-triazapentadecanoic acid, 13-(cyclohexylmethyl)-15-cyclopropyl-7-[(4-fluorophenyl)methyl]-14,15-dihydroxy-10-(1H-imidazol-4-ylmethyl)-3,3-dimethyl-8,11-dioxo-, phenylmethyl ester, 5,5-dioxide, [7S-(7R*,10R*,13R*,14S*,15R*)]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C41 H56 F N5 O8 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA CAPLUS document type: Patent
RL.P Roles from patents: PREP (Preparation); RACT (Reactant or reagent)


Absolute stereochemistry.



1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 86 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 134362-11-1 REGISTRY
CN 5-Thia-2,9,12-triazapentadecanoic acid, 13-(cyclohexylmethyl)-15-cyclopropyl-14,15-dihydroxy-10-(1H-imidazol-4-ylmethyl)-3,3-dimethyl-8,11-dioxo-7-(phenylmethyl)-, phenylmethyl ester, 5,5-dioxide, [7S-(7R*,10R*,13R*,14S*,15R*)]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C41 H57 N5 O8 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA CAPLUS document type: Patent
RL.P Roles from patents: PREP (Preparation); RACT (Reactant or reagent)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 87 OF 87 REGISTRY COPYRIGHT 2004 ACS on STN
RN 134362-07-5 REGISTRY
CN 1H-Imidazole-4-propanamide, N-[1-(cyclohexylmethyl)-3-cyclopropyl-2,3-dihydroxypropyl]-α-[[2-[[[2-(dimethylamino)-1,1-dimethylethyl]sulfonyl]methyl]-1-oxo-3-phenylpropyl]amino]-, [1S-[1R*[R*(R*)],2S*,3R*]]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C35 H55 N5 O6 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

313.79

314.00

FILE 'CAPLUS' ENTERED AT 09:50:44 ON 17 AUG 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 17 Aug 2004 VOL 141 ISS 8

FILE LAST UPDATED: 16 Aug 2004 (20040816/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 13

L4 5 L3

=> d 14 1-5

L4 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2004 ACS on STN

AN 2003:417609 CAPLUS

DN 139:958

TI Aminodiols useful in the treatment of Alzheimer's disease and similar diseases
 IN Schostarez, Heinrich J.; Hanson, Gunnar J.
 PA Elan Pharmaceuticals, Inc., USA; Pharmacia & Upjohn
 SO PCT Int. Appl., 535 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003043618	A2	20030530	WO 2002-US37180	20021119
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
PRAI	US 2001-332863P	P	20011119		
OS	MARPAT 139:958				

L4 ANSWER 2 OF 5 CAPLUS COPYRIGHT 2004 ACS on STN
 AN 1995:855946 CAPLUS
 DN 123:257411

TI Preparation of alkylaminoalkyl-terminated sulfide/sulfonyl-containing propargyl amino-diol compounds for treatment of hypertension.

IN Hanson, Gunnar J.
 PA G.D. Searle and Co., USA
 SO PCT Int. Appl., 63 pp.
 CODEN: PIXXD2

DT Patent
 LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9508531	A1	19950330	WO 1994-US8211	19940727
	W: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, ES, FI, GB, GE, HU, JP, KE, KG, KP, KR, KZ, LK, LT, LU, LV, MD, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SI, SK, TJ, TT, UA, US, UZ, VN RW: KE, MW, SD, AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
	US 5414018	A	19950509	US 1993-126940	19930924
	AU 9474020	A1	19950410	AU 1994-74020	19940727
	US 5488067	A	19960130	US 1995-376504	19950123
	US 6291529	B1	20010918	US 2000-588812	20000606
	US 2002010214	A1	20020124	US 2001-931605	20010816
	US 2003236201	A1	20031225	US 2003-464592	20030618
PRAI	US 1993-126940	A	19930924		
	WO 1994-US8211	W	19940727		
	US 1995-376504	A3	19950123		
	US 1996-592901	B1	19960129		
	US 1997-855139	B1	19970513		
	US 1998-80884	B1	19980518		
	US 1999-371151	B1	19990808		
	US 2000-588812	A1	20000606		
	US 2001-931605	B1	20010816		
OS	MARPAT 123:257411				

L4 ANSWER 3 OF 5 CAPLUS COPYRIGHT 2004 ACS on STN
 AN 1995:621890 CAPLUS
 DN 123:286714
 TI Alkylaminoalkyl-terminated sulfide/sulfonyl-containing
 cycloalkylalkyl-alanine amino-diol compounds as renin inhibitors for
 treatment of hypertension
 IN Chen, Barbara B.; Hanson, Gunnar J.; Baran, John S.
 PA G. D. Searle and Co., USA
 SO U.S., 16 pp.
 CODEN: USXXAM
 DT Patent
 LA English
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 5416119	A	19950516	US 1993-141771	19931025
	US 5488066	A	19960130	US 1995-376617	19950123
	US 5756549	A	19980526	US 1996-593026	19960129
PRAI	US 1993-141771		19931025		
	US 1995-376617		19950123		
OS	MARPAT 123:286714				

L4 ANSWER 4 OF 5 CAPLUS COPYRIGHT 2004 ACS on STN
 AN 1993:539784 CAPLUS
 DN 119:139784
 TI Preparation of peptide analogs as renin inhibitors
 IN Branca, Quirico; Heitz, Marie Paule; Neidhart, Werner; Stadler, Heinz;
 Vieira, Eric; Wostl, Wolfgang
 PA Hoffmann-La Roche, F., AG, Switz.
 SO Eur. Pat. Appl., 50 pp.
 CODEN: EPXXDW
 DT Patent
 LA German
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 509354	A2	19921021	EP 1992-105879	19920406
	EP 509354	A3	19930616		
	EP 509354	B1	20000823		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, MC, NL, PT, SE				
	CA 2064955	AA	19921018	CA 1992-2064955	19920402
	AT 195731	E	20000915	AT 1992-105879	19920406
	ES 2150907	T3	20001216	ES 1992-105879	19920406
	AU 9214788	A1	19921022	AU 1992-14788	19920409
	AU 659832	B2	19950601		
	HU 62864	A2	19930628	HU 1992-1224	19920410
	NO 9201520	A	19921019	NO 1992-1520	19920415
	JP 05155847	A2	19930622	JP 1992-121395	19920415
	JP 2628820	B2	19970709		
	US 5393875	A	19950228	US 1993-100959	19930803
PRAI	CH 1991-1146	A	19910417		
	CH 1992-523	A	19920220		
	US 1992-868054	B1	19920413		
OS	MARPAT 119:139784				

L4 ANSWER 5 OF 5 CAPLUS COPYRIGHT 2004 ACS on STN
 AN 1991:472226 CAPLUS
 DN 115:72226
 TI Amino acid derivatives
 IN Branca, Quirico; Neidhart, Werner; Ramuz, Henri; Stadler, Heinz; Wostl,
 Wolfgang

PA Hoffmann-La Roche, F., und Co. A.-G., Switz.
SO Eur. Pat. Appl., 71 pp.
CODEN: EPXXDW

DT Patent
LA German

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	-----
PI	EP 416373	A2	19910313	EP 1990-116088	19900822
	EP 416373	A3	19920527		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE				
	CA 2023099	AA	19910305	CA 1990-2023099	19900810
	AU 9061360	A1	19910307	AU 1990-61360	19900827
	AU 646640	B2	19940303		
	ZA 9006856	A	19910626	ZA 1990-6856	19900828
	HU 58060	A2	19920128	HU 1990-5676	19900829
	JP 03099047	A2	19910424	JP 1990-228473	19900831
	NO 9003832	A	19910305	NO 1990-3832	19900903
	US 5688946	A	19971118	US 1994-277111	19940719
PRAI	CH 1989-3192		19890904		
	CH 1990-2336		19900712		
	US 1990-571689		19900823		
OS	MARPAT 115:72226				